



**i-SENSYS X C1127P**

# SMART AND EFFICIENT DEVICE DELIVERING VIBRANT PRINT OUTPUT

Expand your print offering with a compact A4 colour printer



**PRODUCTIVITY**



**CONTROL AND  
MAINTENANCE**



**CONNECTIVITY**



**COMPACT DESIGN**



**SECURITY**

**Canon**

---

# i-SENSYS X C1127P

## PRODUCTIVITY

- Quick and easy device set-up
- Smart touchscreen display
- Customisable options with Application Library
- Automatic duplex printing

## SECURITY

- Embedded User Authentication secures device access
- Secure Print prevents unauthorised viewing of printed material
- Verify System at Start-up enhances device integrity

## CONNECTIVITY

- Print from mobile devices, wherever you are
- Compatible with Mopria, Apple Air Print, Google Cloud Print, plus Canon PRINT Business app
- Cloud connectivity via Canon's uniFLOW Online software

## COMPACT DESIGN

- Desktop size makes it easy fit into any office
- Additional optional cassettes can increase paper input capacity
- All-in-one cartridge design increases toner capacity

## CONTROL AND MAINTENANCE

- Cloud and server-based software options for centralised fleet control
- Flexible user management solutions for business administrators and IT department
- Remote access to device control functions
- Toner status tool reduces downtime

## QUICK FACTS

### i-SENSYS X C1127P

- Print Speed: 27ppm (A4), 49ppm (A5 landscape)
- 5-inch/12.7cm TFT LCD touchscreen
- Print resolution: up to 1,200 x 1,200 dpi
- Automatic double-sided printing
- Network, Wi-Fi, USB, QR code and NFC connectivity
- Max paper input capacity: 850 sheets

## SERVICES

### CORE

Perform routine office operations safely and with ease, utilising embedded software including uniFLOW Online Express and other available services offering complete device maintenance and support



HARDWARE



SOFTWARE



SERVICES

### BESPOKE

Choose a tailored service to suit your business needs by removing unnecessary print management burdens. Consult with Canon experts about your specific requirements to find a fitting Print Managed Services option

### ENHANCED

Expand cloud capabilities with uniFLOW Online, Canon's all-in-one print management system

# TECHNICAL SPECIFICATIONS

# i-SENSYS X C1127P

## PRINTER ENGINE

<b>Print speed</b>	Single sided : Up to 27 ppm (A4) Up to 49 ppm(A5-Landscape) Double sided : Up to 24.5 ipm (A4)
<b>Printing method</b>	Colour laser beam printing
<b>Print resolution</b>	Up to 1200 x 1200 dpi
<b>Warm-up time</b>	Approx. 13 seconds or less from power on
<b>First Page Out Time</b>	Colour approx.: 8.6 seconds or less Mono approx.: 7.7 seconds or less
<b>Recommended Monthly Print Volume</b>	750 - 4,000 pages per month
<b>Duty cycle</b>	Max. 50,000 pages per month <sup>1</sup>
<b>Print margins</b>	5 mm-top, bottom, left and right
<b>Advanced printing features</b>	Secure Print Print from USB memory key (JPEG/TIFF/PDF) Barcode Print <sup>2</sup> Touch & Print (NFC) Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

## MEDIA HANDLING

<b>Paper input (Standard)</b>	250-sheet cassette 50-sheet multi-purpose tray
<b>Paper input (Option)</b>	550-sheet cassette
<b>Paper output</b>	150-sheet
<b>Media types</b>	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Label, Post card, Envelope
<b>Media sizes</b>	Cassette (Standard): A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 216.0 x 355.6 mm.  Multi-purpose tray: A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 355.6 mm.  Cassette (Optional): A4, A5, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 216.0 x 355.6 mm.
<b>Media weights</b>	Cassette (standard and optional): 60 to 163 g/m <sup>2</sup> (Up to 200 g/m <sup>2</sup> with Coated paper) Multi-purpose tray: 60 to 176 g/m <sup>2</sup> (Up to 200 g/m <sup>2</sup> with Coated paper)
<b>Double sided printing</b>	Automatic Cassette (standard and optional): A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm 60 to 200 g/m <sup>2</sup>

## GENERAL FEATURES

<b>Power requirements</b>	220-240V (±10%) 50/60Hz (±2Hz)
<b>Power consumption</b>	Maximum: Approx. 1,380W or less Active printing: Approx. 470W Standby: Approx. 17.0W or less Sleep: Approx. 0.6W or less Typical Electricity Consumption (TEC): 0.31 kWh/week <sup>7</sup> For detailed information relating to Lot26 regulation, please go to: <a href="http://www.canon-europe.com/For_Work/Lot26/index.aspx">http://www.canon-europe.com/For_Work/Lot26/index.aspx</a>
<b>Noise level</b>	Sound power <sup>2</sup> Active: Simplex 63 dB or less / Duplex 64 dB or less Standby: 42 dB or less  Sound pressure <sup>3</sup> Active: Simplex 48 dB / Duplex 49 dB Standby: 28 dB
<b>Dimensions (W x D x H)</b>	476 mm x 469 mm x 379 mm
<b>Weight</b>	Approx. 19.0 kg
<b>Operating environment</b>	Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation)
<b>Control panel</b>	12.7 cm LCD Colour Touch Screen
<b>CONTROLLER</b>	
<b>Processor Speed</b>	800MHz x 2
<b>Memory</b>	1GB
<b>Printer Languages</b>	UFRII, PCL5c <sup>4</sup> , PCL6, Adobe® PostScript3
<b>Fonts</b>	93 PCL fonts, 136 PS fonts
<b>Interface and connectivity</b>	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
<b>Software and Printer Management</b>	Remote User Interface (RUI), Department ID Management, Toner Status Tool, iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Universal Log-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW compatibility / Application Library
<b>Operating Systems Compatibility</b>	Windows® 10 / Windows® 8.1 / Windows® 7 / Server® 2016 / Server® 2012R2 / Server® 2012 / Server® 2008R2 / Server® 2008 Mac OS X version 10.9.5 & up / Mac OS 10.15 & up Linux <sup>5</sup> /Citrix
<b>CONSUMABLES</b>	
<b>All-in-One cartridges</b>	TONER T09 Black (7,600 pages <sup>6</sup> ) TONER T09 Cyan (5,900 pages <sup>6</sup> ) TONER T09 Magenta (5,900 pages <sup>6</sup> ) TONER T09 Yellow (5,900 pages <sup>6</sup> )
<b>ACCESSORIES/ OPTIONS</b>	
<b>Items</b>	CST.Feeding Module-AF1 (550-sheet cassette) Barcode Printing Kit-E1E MiCard Multi (Card reader for identification with RFID or magnetic cards with uniFLOW) Micarwd Plus (Card reader for identification with RFID or magnetic cards with uniFLOW) MiCard Attachment Kit-B1

## Notes:

- <sup>(1)</sup> Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- <sup>(2)</sup> Accessory - Barcode Printing Kit-E1E is required
- <sup>(3)</sup> Declared noise emission in accordance with ISO 9296
- <sup>(4)</sup> Commands supported only. Third party driver or direct printing from application required.
- <sup>(5)</sup> Web distribution only. Driver will be available from second half 2020 onwards.
- <sup>(6)</sup> Based on ISO/IEC19798
- <sup>(7)</sup> As per US ENERGY STAR® version3.0.

## Software & Solutions



## Compatibility



**Canon Ireland**  
3006 Lake Drive  
Citywest, Saggart  
Co. Dublin, Ireland  
Telephone No: 01 2052400  
Facsimile No: 01 2052525  
canon.ie

**Canon (UK) Ltd**  
5 The Square  
Stockley Park  
Uxbridge  
UB11 1ET  
Tel: 01895 648 000  
www.canon.co.uk

**Canon Inc.**  
canon.com  
**Canon Europe**  
canon-europe.com  
English edition  
© Canon Europa N.V., 2020